



Particle Production in Nuclear Matter: Highlights from $h+A$ and $h+p$ Data at SPS Energies





Andrzej Rybicki, NA49
Inst. of Nucl. Physics, Kraków, Poland
CERN, Geneva, Switzerland

Outline:




- 1) valence structure of the projectile
- 2) multiple collisions
- 3) penta-quarks
- 4) summary

1) valence structure of the projectile











kaon production




$$\left(\frac{K^+}{\pi^+}\right)^n = \left(\frac{K^+}{\pi^-}\right)^p = \left(\frac{K^+}{\pi^+}\right)^p \cdot \left(\frac{\pi^+}{\pi^-}\right)^p \quad !$$



Λ production




3) multiple collisions




Note:

$$\langle \pi \rangle = \frac{\pi^+ + \pi^-}{2}$$

$p\text{Pb} = \text{target} + \text{projectile}$
 $\langle \pi \rangle \text{Pb} \qquad p\text{Pb} - \langle \pi \rangle \text{Pb}$



passive





active

158 GeV, NA49 preliminary


strange baryon production

- WA97, NA49: mid-rapidity yields in pp, pBe, pPb
→ deviations from V_N scaling
- how to interpret?





4) penta-quarks

$$\Theta^+(1540) : uud\bar{d}\bar{s} \longrightarrow nK^+, pK^0$$



R.L.Jaffe, F.Wilczek
 hep-ph/0307341





preliminary

5) summary

- NA49 provides a new, versatile dataset
- non-trivial isospin effects in elementary reactions
→ caution in $A+A$!
- projectile undergoing multiple collisions can be isolated
→ similar in $p+A/A+A$ → caution, again.